


Engineered
for **Style**



 **ARCHIDPLY® DECOR**

PRE LAMINATED PARTICLE BOARD & MDF



ELITE SOLIDS



01 Gothic Grey
● A1072



02 Khaki
■ A1069



03 Parrot Green
■ A1037



04 Warm Grey
● A1022

PREMIUM SOLIDS




05 Frosty White
◆ A1024A




06 White Décor
◆ A1023



07 Mysore Ivory
● A1030



08 Ivory
◆ A1031




09 Silver Grey
◆ A1012




10 Grey
■ A1005




11 Light Green
● A1028



12 Dark Grey
● A1013



13 Mari Gold
■ A1002



14 Orange
■ A1001



15 P.O. Red
■ Z107A




16 Red
■ Z107




17 Electric Blue
◆ A1025A




18 Bright Green
■ A1036



19 Navy Blue
● A1026



20 Black
◆ A1027



21 Coffee
■ Dp1008



22 Peanut
● A1060

ELITE WOOD GRAINS



23 Ice Beech
◆ B5038



24 Asian Maple
◆ B5142



25 Alberta Maple
◆ B5041



26 Anegre
◆ B5027



27 Oriental Cane
■ B5009




28 Agrowood
◆ B5018



29 German Oak
■ B5002



30 Zebrano
◆ B5045



31 Sapeli
■ B5035

PREMIUM WOOD GRAINS



32 Highland Pine
◆ B5001



33 Modlau Acasia Light
● B5049



34 Limed Wood
■ B5015



35 Mangfall Beech
■ B5037



36 Bavarian Beech
◆ B5036



37 Pear Tree
◆ B5062




38 Maliga Pine
● B5066




39 Douglas Pine
■ B5006



40 Spanish Oak
■ B5075



41 Teak
■ B5029



42 N. Teak
◆ B5034



43 Khaya Mahagony
■ Z224

■ Available only in 4ft ● Available only in 6ft ◆ Available in both 4ft & 6ft

PREMIUM WOOD GRAINS



44 Oxford Cherry
■ Z209A



45 Lorraine Walnut
■ B5011




46 Classic Walnut
■ B5141



47 Rich Walnut
● R2018



48 Modlau Acasia Dark
● B5175



49 Mahagony
◆ Z224A



50 Wenge
◆ B5003



51 Flowery Wenge
■ Z272



52 New Country Dark
■ B5135



53 Khadi
■ ZS465



54 Grey
● ZS467



55 Twist Textile
● B5160

PREMIUM WOOD GRAINS



56 Urban Teak
● B5161



57 New Country Light
● B5134



58 Royal Padduck
■ Z222



59 Archid Oak
◆ B5099




60 Golden Wenge
■ Z207







61 Bali Teak
● B4004



62 Columbian Walnut
● B4009



NEW ARRIVAL



■ Available only in 4ft ● Available only in 6ft ◆ Available in both 4ft & 6ft

INDEX

1. Gothic Grey	17. Electric Blue	33. Modlau Acasia Light	49. Mahagony
2. Khaki	18. Bright Green	34. Limed Wood	50. Wenge
3. Parrot Green	19. Navy Blue	35. Mangfall Beech	51. Flowery Wenge
4. Warm Grey	20. Black	36. Bavarian Beech	52. New Country Dark
5. Frosty White	21. Coffee	37. Pear Tree	53. Khadi
6. White Décor	22. Peanut	38. Maliga Pine	54. Grey
7. Mysore Ivory	23. Ice Beech	39. Douglas Pine	55. Twist Textile
8. Ivory	24. Asian Maple	40. Spanish Oak	56. Urban Teak
9. Silver Grey	25. Alberta Maple	41. Teak	57. New Country Light
10. Grey	26. Anegre	42. N. Teak	58. Royal Paddock
11. Light Green	27. Oriental Cane	43. Khaya Mahagony	59. Archid Oak
12. Dark Grey	28. Agrowood	44. Oxford Cherry	60. Golden Wenge
13. Mari Gold	29. German Oak	45. Lorraine Walnut	61. Bali Teak
14. Orange	30. Zebrano	46. Classic Walnut	62. Columbian Walnut
15. P.O Red	31. Sapeli	47. Rich Walnut	
16. Red	32. Highland Pine	48. Modlau Acasia Dark	

SALIENT FEATURES

- 100% wood particle boards
- Manufactured by short cycle technology
- Cost effective
- Tailor-made ready to use
- No warping
- Elegant look
- Eco-friendly certified by BIS
- Termite and wood borer resistant
- Imported melamine impregnated paper
- Spill proof
- Can be grooved or turned as required
- Free from waviness and air pockets

Marketing Office & Experience Center:

**ARCHIDPLY DECOR LTD.,
BONVIVANT COLLECTIVE**

No. 50, Millenium Towers,
Queens Road, Bangalore - 560051
Ph No: +91 80 4371 4281 | +91 70220 12573

Registered Office & Factory:

ARCHIDPLY DECOR LTD.,
Sy.No.19, KSSIDC Industrial Area,
Bangalore Road, Katamachanahalli, Chintamani,
Chikkaballapur District — 563125, Karnataka
Ph No: +91 94484 19394

Email: bangalore@archidply.com
www.archidplydecor.com

Technical Specifications of Pre-laminated Particle Board

Property	Units	ISI Specification conforms to IS-12823-1990 Grade - 2	Test Results Grade - 2
		RG	RG
Density	Kg/M3	500 - 900	710
Moisture Content	%	5 - 15	7.65
Water Absorption (Max)	%		
2 Hours		15	7.8
24 Hours		30	18.40
Thickness Swelling (Max) 2 Hours		8	5.45
	%		
Modulus Rupture (Min)	N/mm2		
A) Up to 20mm thickness		11.0	16.20
B) Above 20mm thickness		11.0	14.35
Tenstle Strength Perpendicular			
To Surface (Min)	N/mm2		
A) Up to 20mm thickness		0.30	0.52
B) Above 20mm thickness		0.30	0.48
Screw withdrawl strength (Min)	N		
Face		1250	1780
Edge		750	960
Number of abrasion revolution Type 2	450	450	454
Resistance to steam		Conforms	Conforms
Resistance to crack		Conforms	Conforms
Resistance to stain		Conforms	Conforms
Resistance to cigarette burns		Conforms	Conforms

Available in suede and matte finishes

Also available in Decorative Veneered Particle Board and MDF

